

New programmes of professional non-invasive correction of aesthetic imperfections from Meder Beauty Science

5 years of research
Biotechnological active ingredients
Unique method of powering up transdermal delivery of active ingredients
Dermatological application protocol

Treatment	Active ingredients	Actions	Indications	Expected Effect	Recommended Course
Myo Fix <i>non-invasive correction of mimic wrinkles</i>	<i>Acetyl Hexapeptide-8</i>	Blocks neuro-muscular transmission, decreases sensitivity to catecholamines	Mimic wrinkles Contra-indications to BTA (e.g. pregnancy, breast-feeding, neurological diseases, etc)	Full correction for 8-12 months of the age-related changes of 1AB - 2AB functional classes Partial correction for 6-8 months of the age-related changes of 2C - 3AB functional classes	A course of 5 treatments executed in 3-5 weeks, recommended to repeat on a yearly basis
	<i>Syn-Ake</i>	Peptide from the venom of indian temple snake, blocks neuro-muscular transmission			
	<i>Leuphasyl</i>	Pentapeptide blocking the activity of enkephalin receptors, catalyses the effect of Acetyl Hexapeptide-8			
	<i>Palmitoil Pentapeptide</i>	Boosts collagen and elastine production, fills wrinkles			
Lipo Oval <i>non-invasive facial liposculpture</i>	<i>Niacinamide</i>	Improves microcirculation, provides lipolytic effect, and boosts synthesis of collagen and elastine	Gravitational type of ageing	Volume reduction of fat tissue in face and neck Lifting effect Increase of skin elasticity Improved skin tone	A course of 5-10 treatments, on 1-2 times a week basis, recommended to repeat once or twice a year. Can be used alongside some machine methods (endermology, photo-rejuvenation)
	<i>Caffeine</i>	Lipolytic, antioxidant, drainage, and has anti-puffiness effects	'Second chin'		
	<i>Lipase</i>	Lipolytic effect	Change of the face contour		
	<i>Dioscorea Opposita Extract</i>	Lipolytic and drainage effects			
	<i>Pueraria Mirifica Extract</i>	Improves microcirculation, has lifting effect	Presence of fat deposits in lower and middle parts of the face		
	<i>Centella Asiatica Extract</i>	Lipolytic and drainage effects			
Arma Lift <i>non-invasive filler</i>	<i>Malus Domestica Stem Cells Extract</i>	Improves processes of dermal synthesis, decreases depth and visibility of wrinkles, acts as a filler for wrinkles and folds	Skin aging	Fast restoration of elasticity and skin tone Flattening of static wrinkles Filling of lines and folds Improved skin tone	A course of 5-10 treatments, on 1-2 per week basis, recommended to repeat once or twice a year
	<i>PichiaReservatol Ferment Extract</i>	Decrease of free radical activity, inhibition of metalloproteinase (decreases activity of collagenase, elastase and hyaluronidase)	Wrinkles		
	<i>Salix Nigra Bark Extract</i>	Keratolytic effect, speeds up epidermis renewal	Photoageing		
	<i>Epidermal Growth Factor (SH Oligopeptide-1)</i>	Powerful increase of derma and epidermis reparation, increase in "young" collagen synthesis, line and wrinkle filler	In preparation and during rehabilitation period after plastic surgery and other invasive treatments		